



## SEQUENCE LISTING

5	(1) GENE	RAL INFORMATION:	
ی	(i)	APPLICANT: Freeman, Gordon J.  Nadler, Lee M.  Gray, Gary S.	
10	(ii)	TITLE OF INVENTION: TUMOR CELLS MODIFIED TO EXPRESS B7-2 AND WITH INCREASED IMMUNOGENICITY AND USES THER	
	(iii)	NUMBER OF SEQUENCES: 8	
15	(iv)	CORRESPONDENCE ADDRESS:  (A) ADDRESSEE: LAHIVE & COCKFIELD  (B) STREET: 60 State Street, Suite 510  (C) CITY: Boston	
20		(D) STATE: Massachusetts: (E) COUNTRY: USA (F) ZIP: 02109	
25	(v)	COMPUTER READABLE FORM:  (A) MEDIUM TYPE: Floppy disk  (B) COMPUTER: IBM PC compatible  (C) OPERATING SYSTEM: PC-DOS/MS-DOS  (D) SOFTWARE: PatentIn Release #1.0, Version #1.25	•
30	(vi)	CURRENT APPLICATION DATA:  (A) APPLICATION NUMBER:  (B) FILING DATE:  (C) CLASSIFICATION:	
35	(vii)	PRIOR APPLICATION DATA:  (A) APPLICATION NUMBER: 08/101,624;  (B) FILING DATE: 26-JUL-1993;  (A) APPLICATION NUMBER: 08/109,393;  (b) FILING DATE: 19-AUG-1993	
40	(viii)	ATTORNEY/AGENT INFORMATION:  (A) NAME: Mandragouras, Amy E.  (B) REGISTRATION NUMBER: 36,207  (C) REFERENCE/DOCKET NUMBER: RPI-008	
45	(ix)	TELECOMMUNICATION INFORMATION: (A) TELEPHONE: (617) 227-7400 (B) TELEFAX: (617) 227-5941	-

50

ISELSE AEOFS

#### (2) INFORMATION FOR SEQ ID NO:1: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1120 base pairs 5 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA 10 (ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 107..1093 15 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: CACAGGGTGA AAGCTTTGCT TCTCTGCTGC TGTAACAGGG ACTAGCACAG ACACACGGAT 60 20 GAGTGGGGTC ATTTCCAGAT ATTAGGTCAC AGCAGAAGCA GCCAAA ATG GAT CCC 115 Met Asp Pro CAG TGC ACT ATG GGA CTG AGT AAC ATT CTC TTT GTG ATG GCC TTC CTG 163 Gln Cys Thr Met Gly Leu Ser Asn Ile Leu Phe Val Met Ala Phe Leu CTC TCT GGT GCT CCT CTG AAG ATT CAA GCT TAT TTC AAT GAG ACT 211 30 Leu Ser Gly Ala Ala Pro Leu Lys Ile Gln Ala Tyr Phe Asn Glu Thr GCA GAC CTG CCA TGC CAA TTT GCA AAC TCT CAA AAC CAA AGC CTG AGT 259 Ala Asp Leu Pro Cys Gln Phe Ala Asn Ser Gln Asn Gln Ser Leu Ser GAG CTA GTA GTA TTT TGG CAG GAC CAG GAA AAC TTG GTT CTG AAT GAG 307 -Glu Leu Val Val Phe Trp Gln Asp Gln Glu Asn Leu Val Leu Asn Glu 60 40 GTA TAC TTA GGC AAA GAG AAA TTT GAC AGT GTT CAT TCC AAG TAT ATG 355 Val Tyr Leu Gly Lys Glu Lys Phe Asp Ser Val His Ser Lys Tyr Met 75 45 GGC CGC ACA AGT TTT GAT TCG GAC AGT TGG ACC CTG AGA CTT CAC AAT 403 Gly Arg Thr Ser Phe Asp Ser Asp Ser Trp Thr Leu Arg Leu His Asn CTT CAG ATC AAG GAC AAG GGC TTG TAT CAA TGT ATC ATC CAT CAC AAA 451 50 Leu Gln Ile Lys Asp Lys Gly Leu Tyr Gln Cys Ile Ile His His Lys 105 AAG CCC ACA GGA ATG ATT CGC ATC CAC CAG ATG AAT TCT GAA CTG TCA 499 Lys Pro Thr Gly Met Ile Arg Ile His Gln Met Asn Ser Glu Leu Ser 5.5 125

GTG CTT GCT AAC TTC AGT CAA CCT GAA ATA GTA CCA ATT TCT AAT ATA

Val Leu Ala Asn Phe Ser Gln Pro Glu Ile Val Pro Ile Ser Asn Ile

ACA GAA AAT GTG TAC ATA AAT TTG ACC TGC TCA TCT ATA CAC GGT TAC

50

55

(3) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 329 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

Ш N = 

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

5	Met 1	Asp	Pro	Gln	Cys 5	Thr	Met	Gly	Leu	Ser 10	Asn	Ile	Leu	Phe	Val 15	Met
3	Ala	Phe	Leu	Leu 20	Ser	Gly	Ala	Ala	Pro 25	Leu	Lys	Ile	Gln	Ala 30	Tyr	Phè
10	Asn	Glu	Thr 35	Ala	Asp	Leu	Pro	Cys 40	Gln	Phe	Ala	Asn	Ser 45	Gln	Asn	Gln
	Ser	Leu 50	Ser	Glu	Leu	Val	Val 55	Phe	Trp	Gln	Asp	Gln 60	Glu	Asn	Leu	Val
15	Leu 65	Asn	Glu	Val	Tyr	Leu 70	Gly	Lys	Glu	Lys	Phe 75	Asp	Ser	Val	His	Ser 80
20	Lys	Tyr	Met	Gly	Arg 85	Thr	Ser	Phe	Asp /	Ser 90	Asp	Ser	Trp	Thr	Leu 95	Arg
	Leu	His	Asn	Leu 100	Gln	Ile	Lys	Asp	Lys 105	Gly	Leu	Tyr	Gln	Cys 110	Ile	Ile
25	His	His	Lys 115	Lys	Pro	Thr	Gly	Met 120	Ile	Arg	Ile	His	Gln 125	Met	Asn	Ser
	Glu	Leu 130	Ser	Val	Leu	Ala	Asn 135	Phe	Ser	Gln	Pro	Glu 140	Ile	Val	Pro	Ile
30	Ser 145	Asn	Ile	Thr	Glu	Asn 150	Val	Tyr	Ile	Asn	Leu 155	Thr	Cys	Ser	Ser	Ile 160
35	Hìs	Gly	Tyr	Pro	Glu 165	Pro	Lys	Lys	Met	Ser 170	Val	Leu	Leu	Arg	Thr 175	Lys
	Asn	Ser	Thr	Ile 180	Glu	Tyr	Asp	Gly	Ile 185	Met	Gln	Lys	Ser	Gln 190	Asp	Asn
40	Val	Thr	Glu 195	Leu	Tyr	Asp	Val	Ser 200	Ile	Ser	Leu	Ser	Val 205	Ser	Phe	Pro
	Asp	Val 210	Thr	Ser	Asn	Met	Thr 215	Ile	Phe	Cys	Ile	Leu 220	Glu	Thr	Asp	Lys
45	Thr 225	Arg	Leu	Leu	Ser	Ser 230	Pro	Phe	Ser	Ile	Glu 235	Leu	Glu	Asp	Pro	Gln 240
50	Pro	Pro	Pro	Asp	His 245	Ile	Pro	Trp	Ile	Thr 250	Ala	Val	Leu	Pro	Thr 255	Val
	Ile	Ile	Cys	Val 260	Met	Val	Phe	Cys	Leu 265	Ile	Leu	Trp	Lys	Trp 270	Lys	Lys
55	Lys	Lys	Arg 275	Pro	Arg	Asn	Ser	Tyr 280	Lys	Cys	Gly	Thr	Asn 285	Thr	Met	Glu
	Arg	Glu 290		Ser	Glu	Gln	Thr 295		Lys	Arg	Glu	Lys 300		His	Ile	Pro

	·	
	Glu Arg Ser Asp Glu Ala Gln Arg Val Phe Lys Ser Ser Lys Thr Ser 305 310 315 320	
5	Ser Cys Asp Lys Ser Asp Thr Cys Phe 325	
	(4) INFORMATION FOR SEQ ID NO:3:	
10	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 1151 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: double</li><li>(D) TOPOLOGY: linear</li></ul>	
15	(ii) MOLECULE TYPE: cDNA	
20	(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 991028	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:	
25	GGAGCAAGCA GACGCGTAAG AGTGGCTCCT GTAGGCAGCA CGGACTTGAA CAACCAGACT	60
	CCTGTAGACG TGTTCCAGAA CTTACGGAAG CACCCACG ATG GAC  Met Asp  1	104
30		
	CCC AGA TGC ACC ATG GGC TTG GCA ATC CTT ATC TTT GTG ACA GTC TTG  Pro Arg Cys Thr Met Gly Leu Ala Ile Leu Ile Phe Val Thr Val Leu  5 10 15	152
35	CTG ATC TCA GAT GCT GTT TCC GTG GAG ACG CAA GCT TAT TTC AAT GGG Leu Ile Ser Asp Ala Val Ser Val Glu Thr Gln Ala Tyr Phe Asn Gly 20 25 30	200
40	ACT GCA TAT CTG CCG TGC CCA TTT ACA AAG GCT CAA AAC ATA AGC CTG Thr Ala Tyr Leu Pro Cys Pro Phe Thr Lys Ala Gln Asn Ile Ser Leu 35 40 45 50	248
45	AGT GAG CTG GTA GTA TTT TGG CAG GAC CAG CAA AAG TTG GTT CTG TAC Ser Glu Leu Val Val Phe Trp Gln Asp Gln Gln Lys Leu Val Leu Tyr 55 60 65	296
	GAG CAC TAT TTG GGC ACA GAG AAA CTT GAT AGT GTG AAT GCC AAG TAC Glu His Tyr Leu Gly Thr Glu Lys Leu Asp Ser Val Asn Ala Lys Tyr 70 75 80	342
50		
	CTG GGC CGC ACG AGC TTT GAC AGG AAC AAC TGG ACT CTA CGA CTT CAC Leu Gly Arg Thr Ser Phe Asp Arg Asn Asn Trp Thr Leu Arg Leu His 85 90 95	382 -
55	AAT GTT CAG ATC AAG GAC ATG GGC TCG TAT GAT TGT TTT ATA CAA AAA Asn Val Gln Ile Lys Asp Met Gly Ser Tyr Asp Cys Phe Ile Gln Lys 100 105 110	440

						TCA Ser 120											4	188
5		_	_			TTC Phe											5	336
10						GGC Gly										_	Ş	84
15						AAG Lys											6	32
20						ATG Met		-									6	80
	_					AGC Ser 200											7	28
25						TGT Cys											7	76
30						TTC Phe											8	14
35	_	_		_	_	GCT Ala		_									8	72
40						TGT Cys											9	20 -
						AAG Lys 280											g	68
45						GAA Glu						-					10	
50		GCA Ala		TGA	AGGC	AGT (	GAGA	3CCT(	GA GO	GAAA(	GAGT"	TAA 1	AAAT:	rgct			10	065
	TTG	CCTG	AAA :	raagz	AAGT	GC A	GAGT:	TCT	C AG	AATTO	CAAA	AATO	GTTC:	CA (	GCTG2	ATTGGA	11	15
55	ATT	CTAC	AGT T	rgaa:	TAAT'	ra az	AGAA	C									13	151

## (5) INFORMATION FOR SEQ ID NO:4:

(i)	SEQUE	NCE CHARACTERISTICS:
	(A)	LENGTH: 309 amino acid
	(B)	TYPE: amino acid
	(D)	TOPOLOGY: linear

		( <u>†</u>	Li) N	OLE	CULE	TYPE: protein										
10		()	(i) S	EQUE	ENCE	DESC	CRIPT	CION:	SEÇ	) ID	NO:4	1:				
	Met 1	Asp	Pro	Arg	Cys 5	Thr	Met	Gly	Leu	Ala 10	Ile	Leu	Ile	Phe	Val 15	Thr
15	Val	Leu	Leu	Ile 20	Ser	Asp	Ala	Val	Ser 25	Val	Glu	Thr	Gln	Ala 30	Tyr	Phe
20	Asn	Gly	Thr 35	Ala	Tyr	Leu	Pro	Cys 40	Pro	Phe	Thr	Lys	Ala 45	Gln	Asn	Ile
	Ser	Leu 50	Ser	Glu	Leu	Val	Val 55	Phe	Trp	Gln	Asp	Gln 60	Gln	Lys	Leu	Val
25	Leu 65	Tyr	Glu	His	Tyr	Leu 70	Gly	Thr	Glu	Lys	Leu 75	Asp	Ser	Val	Asn	Ala 80
	Lys	Tyr	Leu	Gly	Arg 85	Thr	Ser	Phe	qaA	Arg 90	Asn	Asn	Trp	Thr	Leu 95	Arg
30	Leu	His	Asn	Val 100	Gln	Ile	Lys	Asp	Met 105	Gly	Ser	Tyr	Asp	Cys 110	Phe	Ile
35	Gln	Lys	Lys 115	Pro	Pro	Thr	Gly	Ser 120	Ile	Ile	Leu	Gln	Gln 125	Thr	Leu	Thr
	Glu	Leu 130	Ser	Val	Ile	Ala	Asn 135	Phe	Ser	Glu	Pro	Glu 140	Ile	Lys	Leu	Ala
40	Gln 145	Asn	Val	Thr	Gly	Asn 150	Ser	Gly	Ile	Asn	Leu 155	Thr	Cys	Thr	Ser	Lys 160
	Gln	Gly	His	Pro	Lys 165	Pro	Lys	Lys	Met	Tyr 170	Phe	Leu	Ile	Thr	Asn 175	Ser
45	Thr	Asn	Glu	Tyr 180	Gly	Asp	Asn	Met	Gln 185	Ile	Ser	Glņ	Asp	Asn 190	Val	Thr
50	Glu	Leu	Phe 195	Ser	Ile	Ser	Asn	Ser 200	Leu	Ser	Leu	Ser	Phe 205	Pro	Asp	Gly
-	Val	Trp 210	His	Met	Thr	Val	Val 215	Cys	Val	Leu	Glu	Thr 220	Glu	Ser	Met	Lys
55	Ile 225	Ser	Ser	Lys	Pro	Leu 230	Asn	Phe	Thr	Gln	Glu 235		Pro	Ser	Pro	Gln 240

Thr Tyr Trp Lys Glu Ile Thr Ala Ser Val Thr Val Ala Leu Leu

250

Val Met Leu Leu Ile Ile Val Cys His Lys Lys Pro Asn Gln Pro Ser

	260 265 270	
5	Arg Pro Ser Asn Thr Ala Ser Lys Leu Glu Arg Asp Ser Asn Ala Asp 275 280 285	
	Arg Glu Thr Ile Asn Leu Lys Glu Leu Glu Pro Gln Ile Ala Ser Ala 290 295 300	
10	Lys Pro Asn Ala Glu 305	
15	(6) INFORMATION FOR SEQ ID NO:5:  (i) SEQUENCE CHARACTERISTICS:	
20	(A) LENGTH: 1491 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
25	(ii) MOLECULE TYPE: cDNA to mRNA	
25	(vi) ORIGINAL SOURCE:	
30	<ul> <li>(A) ORGANISM: Homo sapien</li> <li>(F) TISSUE TYPE: lymphoid</li> <li>(G) CELL TYPE: B cell</li> <li>(H) CELL LINE: Raji</li> </ul>	•
35	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
	CCAAAGAAAA AGTGATTTGT CATTGCTTTA TAGACTGTAA GAAGAGAACA TCTCAGAAGT	60
	GGAGTCTTAC CCTGAAATCA AAGGATTTAA AGAAAAAGTG GAATTTTTCT TCAGCAAGCT 1	.20
40	GTGAAACTAA ATCCACAACC TTTGGAGACC CAGGAACACC CTCCAATCTC TGTGTGTTTT 1	.80
	GTAAACATCA CTGGAGGGTC TTCTACGTGA GCAATTGGAT TGTCATCAGC CCTGCCTGTT 2	240
45	TTGCACCTGG GAAGTGCCCT GGTCTTACTT GGGTCCAAAT TGTTGGCTTT CACTTTTGAC	300
45	CCTAAGCATC TGAAGCC ATG GGC CAC ACA CGG AGG CAG GGA ACA TCA CCA TCC 3  Met Gly His Thr Arg Arg Gln Gly Thr Ser Pro Ser  -30 -25	353
50		
	AAG TGT CCA TAC CTG AAT TTC TTT CAG CTC TTG GTG CTG GCT GGT CTT  Lys Cys Pro Tyr Leu Asn Phe Phe Gln Leu Leu Val Leu Ala Gly Leu  -20  -15 -10	401
55	TCT CAC TTC TGT TCA GGT GTT ATC CAC GTG ACC AAG GAA GTG AAA GAA Ser His Phe Cys Ser Gly Val Ile His Val Thr Lys Glu Val Lys Glu -5 1 5 10	449



<i>c</i>									AAT Asn								497
5																	
	CAA	ACT	CGC	ATC	TAC	TGG	CAA	AAG	GAG	AAG	AAA	ATG	GTG	CTG	ACT	ATG	545
	Gln	Thr	Arg		Tyr	Trp	Gln	Lys	Glu	Lys	Lys	Met	Val		Thr	Met	
10				30					35					40			
									CCC Pro								593
		-	45					50			-1-	-1-	55	5			
15																	
	TTT	GAT	ATC	ACT	AAT	AAC	CTC	TCC	ATT	GTG	ATC	CTG	GCT	CTG	CGC	CCA	641
	Phe		Ile	Thr	Asn	Asn		Ser	Ile	Val	Ile		Ala	Leu	Arg	Pro	
20		60					65		Ξ			70					
									GTT Val								689
	75	Asp	GIU	GTÀ	1111	80	Giu	СуБ	vai	vai	85	Буб	TYL	GIU	шуз	90	
25																	
	GCT	TTC	AAG	CGG	GAA	CAC	CTG	GCT	GAA	GTG	ACG	TTA	TCA	GTC	AAA	GCT	737
									Glu								
30					95					100					105		
<b>J</b> 0																	
									GAC								785
	Asp	Pne	PIO	1110	PIO	ser	116	ser	Asp 115	FIIE	GIU	116	PIO	120	261	ASII	
35																	
	ATT	AGA	AGG	ATA	ATT	TGC	TCA	ACC	TCT	GGA	GGT	TTT	CCA	GAG	CCT	CAC	833
									Ser								
40			125					130					135				
10																	
	CTC								GAA							ACA	881
	Leu	140	_	Leu	. Glu	ASII	145		Glu	ьeu	ASII	150		ASII	1111	1111	
45																	
	GTT	TCC	CAA	GAT	CCT	GAA	ACT	GAG	CTC	TAT	GCT	GTT	AGC	AGC	. AAA	CTG	929
									Leu							Leu	
50	155					160					165					170	
20																	
									AGC								97
	Asp	Phe	Asr	ı Met	: Thr 175		Asn	His	Ser	Phe 180		Cys	Leu	1 116	. Lys 185	-	
55																	


GGA CAT TTA AGA GTG AAT CAG ACC TTC AAC TGG AAT ACA ACC AAG CAA

Gly His Leu Arg Val Asn Gln Thr Phe Asn Trp Asn Thr Thr Lys Gln



5	GAG CAT TTT CCT GAT AAC CTG CTC CCA TCC TGG GCC ATT ACC TTA ATC Glu His Phe Pro Asp Asn Leu Leu Pro Ser Trp Ala Ile Thr Leu Ile 205 210 215	
10	TCA GTA AAT GGA ATT TTT GTG ATA TGC TGC CTG ACC TAC TGC TTT GCC  Ser Val Asn Gly Ile Phe Val Ile Cys Cys Leu Thr Tyr Cys Phe Ala  220 225 230	
15	CCA AGA TGC AGA GAG AGA AGG AGG AAT GAG AGA TTG AGA AGG GAA AGT Pro Arg Cys Arg Glu Arg Arg Arg Asn Glu Arg Leu Arg Arg Glu Ser 235 240 245 250	
	GTA CGC CCT GTA TAACAGTGTC CGCAGAAGCA AGGGGCTGAA AAGATCTGAA 1221 Val Arg Pro Val	
20	GGTAGCCTCC GTCATCTCTT CTGGGATACA TGGATCGTGG GGATCATGAG GCATTCTTCC 1281	
25	CTTAACAAAT TTAAGCTGTT TTACCCACTA CCTCACCTTC TTAAAAACCT CTTTCAGATT 1341	
	AAGCTGAACA GTTACAAGAT GGCTGGCATC CCTCTCCTTT CTCCCCATAT GCAATTTGCT 1401	
30	TAATGTAACC TCTTCTTTTG CCATGTTTCC ATTCTGCCAT CTTGAATTGT CTTGTCAGCC 1461	
35	AATTCATTAT CTATTAAACA CTAATTTGAG	1491
	(7) INFORMATION FOR SEQ ID NO:6:	•
40	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 288 amino acids (B) TYPE: amino acid (C) TOPOLOGY: linear	
45	(ii) MOLECULE TYPE: protein	
50	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	***
	Met Gly His Thr Arg Arg Gln Gly Thr Ser Pro Ser Lys Cys Pro Tyr -30 -25 -20	•
55	Leu Asn Phe Phe Gln Leu Leu Val Leu Ala Gly Leu Ser His Phe Cys -15 -10 -5	

Ser Gly Val Ile His Val Thr Lys Glu Val Lys Glu Val Ala Thr Leu



## 50 (8) INFORMATION FOR SEQ ID NO:7:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1716 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear





#### (vi) ORIGINAL SOURCE:

5	<ul> <li>(A) ORGANISM: Mus musculus</li> <li>(D) DEVELOPMENTAL STAGE: germ line</li> <li>(F) TISSUE TYPE: lymphoid</li> <li>(G) CELL TYPE: B lymphocyte</li> <li>(H) CELL LINE: 70Z and A20</li> </ul>
	(h) CELL LINE: /UZ and AZU
10	(xi) SEQUENCE DESCRIPTION: SEO ID NO:7:
	(XI) SEQUENCE DESCRIPTION: SEQ ID NO:/:

15	GAG:	rttt <i>i</i>	ATA (	CCTC	ATAC	GA CI	CTT	CTAC	3 TTT	rctct	rttt	TCAC	GTT	GTG A	AAACI	CAACC	60
	TTC	AAAGA	ACA (	CTCTC	TTC	CA TI	TCTC	GTGG <i>I</i>	A CT	ATAC	GAT	CATO	CTTTZ	AGC A	ATCTO	GCCGGG	120
	TGG	ATGC	CAT (	CCAGO	CTT	CT TI	TTTCT	CACA	CTC	CTGTT	гтст	CGAT	TTTT	rgt (	BAGCO	CTAGGA	180
20	GGT	GCT#	AAG (	CTCC	ATTGO	SC TO	CTAGA	ATTCC	TGC	3CTTT	rccc	CATO	CATG	rrc 1	CCA	AGCAT	240
25	CTG	AAGCT				s As					et G]					C CTC eu Leu	290
23															ATT Ile		338
30															TCA Ser		386
35															GAA Glu		434
40															GTG Val 40		482
45															AAC Asn		530
															CTG Leu	-	578
50															GAA Glu		626

GGA ACG TAT GAA GTT AAA CAC TTG GCT TTA GTA AAG TTG TCC ATC AAA 674
Gly Thr Tyr Glu Val Lys His Leu Ala Leu Val Lys Leu Ser Ile Lys
90 95 100 105






				TCT Ser													722
5				AGG Arg 125													770
10				TGG Trp													818
15				CAG Gln													866
20				AAT Asn													914
20				GCT Ala													962
25				CCT Pro 205													1010
30				GTA Val													1058
35				CAC His													1106
40		Asn		AGC Ser													1154
40	Thr	Val	Phe	CTT Leu													1206
45																CTTGAC	
																AGGAAG GAGCCC	
50																AAAAGA	
	GCI	GTCA	CTA	AAAG	GAGA	GG I	GCCI	AGTC	T TA	CTGC	CAACI	TGA	TATO	TCA	TGTI	TGGTTG	1506
55	GTG	TCTG	TGG	GAGG	CCT	CC C	TTTT	CTGA	A GA	GAAC	TGGT	GGG	GAGAG	TGG	ATGG	GGTGGG	1566
,,,	GGC	CAGAG	GAA	AAGT	rggg	GA (	SAGGO	CCT	G GA	AGGA	GAGGI	A GGC	GAGGG	GGA	CGGG	GTGGGG	1626
	GTO	GGG <i>I</i>	AAA	CTAT	rggt:	rgg (	ATG	<b>LAAA</b> 1	AA CO	GAT	ATA	A TAT	CAAA7	TTAT	CAAA	DAAAAG	1686

# AGAGTATTGA GCAAAAAAA AAAAAAAAA

-	~	4	,
	,	1	C

	5	(9)	IN	FORM	OITA	N FO	R SE	Q ID	NO:	8:							
-	-			(i)	SEQ	UENC	E CH	ARAC'	TERI	STIC	S:						
1	0	<ul><li>(A) LENGTH: 306 amino acids</li><li>(B) TYPE: amino acid</li><li>(C) TOPOLOGY: linear</li></ul>															
				(ii)	MOLI	ECULI	E TY	PE: ]	prote	ein							
1	5			(xi)	SE	QUENC	CE DI	ESCR:	IPTIC	ON: S	SEQ :	ID N	D:8:				
		Met	Ala	Cys -35	Asn	Cys	Gln	Leu	Met -30	Gln	Asp	Thr	Pro	Leu -25	Leu	Lys	Ph
20	0	Pro	Cys -20	Pro	Arg	Leu	Ile	Leu -15	Leu	Phe	Val	Leu	Leu -10	Ile	Arg	Leu	Se
25	5	Gln -5	Val	Ser	Ser	Asp -1	Val 1	Asp	Glu	Gln	Leu 5	Ser	Lys	Ser	Val	Lys 10	Asp
		Lys	Val	Leu	Leu 15	Pro	Сув	Arg	Tyr	Asn 20	Ser	Pro	His	Glu	Asp 25	Glu	Sei
3	0	Glu	Asp	Arg 30	Ile	Tyr	Trp	Gln	<b>L</b> уs 35	His	Asp	Lys	Val	Val 40	Leu	Ser	Va.
		Ile	Ala 45	Gly	Lys	Leu	Lys	Val 50	Trp	Pro	Glu	Tyr	Lys 55	Asn	Arg	Thr	Le
3	5	Tyr 60	Asp	Asn	Thr	Thr	Tyr 65	Ser	Leu	Ile	Ile	Leu 70	Gly	Leu	Val	Leu	Sei 75
40		Asp	Arg	Gly	Thr	Tyr	Ser 80	Cys	Val	Val	Gln	Lys 85	Lys	Glu	Arg	Gly	Th: 90
		Tyr	Gly	Val	Lys 95	His	Leu	Ala	Leu	Val 100	Lys	Leu	Ser	Ile	Lys 105	Ala	Ası
4	5	Phe	Ser	Thr 110	Pro	Asn	Ile	Thr	Glu 115	Ser	Gly	Asn	Pro	Ser 120	Ala	Asp	Thi
		Lys	Arg 125	Ile	Thr	Cys	Phe	Ala 130	Ser	Gly	Gly	Phe	Pro 135	Lys	Pro	Arg	Phe
5	0	Ser 140	Trp	Leu	Glu	Asn	Gly 145	Arg	Glu	Leu	Pro	Gly 150	Ile	Asn	Thr	Thr	11e
5	5	Ser	Gln	Asp	Pro	Glu 160	Ser	Glu	Leu	Tyr	Thr 165	Ile	Ser	Ser	Gln	Leu 170	Ası
		Phe	Asn	Thr	Thr 175	Arg	Asn	His	Thr	Ile 180	Lys	Cys	Leu	Ile	Lys 185	Tyr	Gl



Asn Ser Leu Thr Phe Gly Pro Glu Glu Ala Leu Ala Glu Gln Thr Val 255 260 265

15 Phe Leu

5